

2026 BCIA Culpeper Senior Angus Ultrasound																								
Test ID	Tattoo	Reg Number	Actual Rib Fat	365-d Adj. Rib Fat	Herd Ratio Rib Fat	Test Ratio Rib Fat	Actual REA	365-d Adj. REA	Herd Ratio REA	Test Ratio REA	Actual % IMF	365-d Adj. % IMF	Herd Ratio % IMF	Test Ratio % IMF	Scan Wt	EPD CW	EPD Marb	EPD RE	EPD Fat	EPD \$M	EPD \$W	EPD \$B	EPD \$C	Test ID
1	5D35	21545762	0.25	0.25	100	115	15.3	15.2	100	115	4.19	4.18	100	114	1285	79	1.82	1.09	0.029	83	84	266	428	1
2	5D15	21545802	0.30	0.29	100	133	13.6	13.4	91	101	4.21	4.14	106	113	1220	76	1.36	1.03	0.016	76	105	223	365	2
3	5T35	21526585	0.14	0.14	100	64	13.8	13.8	100	104	2.42	2.42	100	66	1130	86	0.85	1.25	-0.019	65	85	217	346	3
4	5N3	21526538	0.34	0.34	117	156	14.5	14.4	98	109	4.22	4.16	106	113	1245	86	0.90	1.04	0.042	79	111	208	349	4
5	5B46	21526554	0.24	0.24	83	110	16.3	16.2	110	122	3.50	3.45	88	94	1255	76	1.08	1.23	-0.006	62	93	214	340	5
6	5B20	21526530	0.33	0.31	100	143	12.9	12.4	100	94	4.28	4.20	100	114	1315	90	0.93	0.74	0.011	71	104	213	347	6
7	5B63	21526577	0.17	0.17	71	78	14.1	14.0	97	106	3.74	3.73	110	102	1205	78	1.29	1.02	-0.021	31	90	228	327	7
8	5G21	21545767	0.29	0.29	121	133	15.2	15.1	105	114	4.04	4.03	119	110	1320	81	1.20	1.51	-0.001	96	94	212	371	8
9	5BY2	21557784	0.38	0.40	100	184	13.3	13.9	100	105	4.63	4.71	100	128	1230	65	0.97	0.44	0.063	71	90	170	291	9
10	5A21	21563430	0.28	0.27	113	124	14.1	14.0	97	106	2.40	2.38	70	65	1200	87	0.96	0.99	0.037	94	123	209	365	10
11	512	21412890	0.21	0.26	100	120	12.5	13.7	100	104	3.85	3.99	100	109	1010	79	1.58	1.26	0.003	113	114	236	419	11
12	109	21338994	0.18	0.14	54	64	15.3	14.3	108	108	3.73	3.57	85	97	1290	49	1.28	0.71	0.051	66	68	181	301	12
13	112	21338707	0.34	0.32	123	147	13.1	12.7	95	96	6.10	5.95	142	162	1155	50	1.67	0.59	0.037	72	78	199	330	13
14	110	21338705	0.37	0.35	135	161	13.2	12.7	95	96	3.67	3.51	84	96	1230	69	1.13	0.75	-0.006	66	100	200	325	14
15	114	21338699	0.26	0.23	88	106	14.1	13.5	102	102	3.82	3.67	88	100	1410	94	1.45	1.11	0.023	79	122	257	412	15
16	592	21423719	0.15	0.18	113	83	14.3	14.9	109	113	5.17	5.25	131	143	1120	66	1.93	0.95	0.032	86	102	235	391	16
17	5051	21341988	0.14	0.14	88	64	11.6	11.6	85	88	3.48	3.37	84	92	1020	49	0.89	0.82	-0.020	75	78	155	276	17
18	5052	21341989	0.16	0.15	94	69	14.8	14.7	107	111	3.55	3.44	86	94	1025	37	0.96	0.91	-0.039	89	69	143	274	18
19	M12	21354145	0.30	0.29	153	133	13.1	12.8	99	97	4.00	3.93	137	107	1325	74	0.72	0.59	0.041	97	134	145	285	19
20	M6	21356636	0.23	0.22	116	101	14.2	14.0	109	106	3.22	3.13	109	85	1265	95	0.84	1.20	0.060	140	130	212	415	20
21	M13	21357923	0.12	0.11	100	51	11.7	11.4	100	86	3.06	2.99	100	81	1200	101	0.43	1.33	-0.006	109	123	210	381	21
22	M10	21354147	0.11	0.11	58	51	13.0	12.9	100	97	1.92	1.85	64	50	1105	53	0.68	0.82	-0.032	122	126	137	300	22
23	M8	21354142	0.15	0.13	68	60	12.5	12.1	94	91	2.01	1.93	67	53	1215	75	0.12	0.40	0.061	104	120	136	280	23
24	M16	21356554	0.16	0.16	84	74	13.3	13.2	102	100	2.77	2.72	95	74	1160	84	0.91	0.90	0.047	96	119	191	344	24
25	M11	21356555	0.26	0.24	126	110	13.0	12.6	98	95	3.75	3.68	128	100	1285	81	0.84	1.07	0.024	94	114	194	346	25
26	2508	21569990	0.19	0.20	83	92	13.7	13.8	99	104	2.70	2.72	85	74	1220	73	0.26	0.55	0.036	95	99	158	300	26
27	2507	21569989	0.18	0.18	75	83	12.6	12.7	91	96	3.04	3.06	95	83	1200	74	0.80	0.53	0.059	92	102	178	323	27
28	2505	21569987	0.25	0.25	104	115	15.3	15.3	110	116	3.84	3.80	118	104	1285	58	0.84	0.94	0.053	104	107	160	312	28
29	2506	21569988	0.31	0.31	129	143	13.8	13.7	99	104	3.27	3.25	101	89	1345	71	0.77	0.50	0.067	87	108	160	295	29
30	2502	21569978	0.17	0.15	94	69	11.2	10.8	87	82	2.46	2.37	97	65	1110	57	0.71	0.37	0.009	52	51	163	263	30
31	2503	21569972	0.18	0.16	100	74	14.3	13.9	112	105	2.59	2.51	103	68	1170	61	0.19	1.00	-0.007	102	74	141	285	31
32	2504	21569977	0.31	0.29	100	133	12.7	12.3	100	93	2.55	2.47	100	67	1215	49	0.33	0.15	0.039	115	82	121	272	32
33	2501	21574992	0.21	0.19	100	87	12.8	12.4	100	94	3.19	3.09	100	84	1135	63	0.55	0.82	0.040	78	73	158	283	33
34	145	21590886	0.30	0.28	100	129	12.5	12.0	100	91	3.50	3.41	100	93	1260	67	0.99	0.31	0.069	86	89	169	305	34
35	025	21593377	0.15	0.13	100	60	11.5	11.1	100	84	3.25	3.12	100	85	930	65	1.62	0.26	0.064	87	103	205	353	35
36	N28	21515709	0.11	0.09	64	41	13.6	13.1	94	99	3.35	3.25	103	89	1115	69	1.08	0.85	0.020	73	81	200	332	36
37	N46	21506980	0.15	0.15	79	69	13.0	13.0	97	98	3.59	3.59	97	98	1085	49	0.87	0.81	-0.047	84	60	165	298	37
38	N43	21506977	0.23	0.23	121	106	13.9	13.8	103	104	3.85	3.84	103	105	1265	80	1.18	0.84	0.012	77	110	202	339	38
39	N30	21506982	0.19	0.19	136	87	14.6	14.6	105	110	3.18	3.09	97	84	1055	71	0.70	1.04	0.009	103	113	172	326	39
40	504	21360869	0.29	0.27	123	124	15.9	15.4	110	116	5.52	5.35	118	146	1320	61	1.27	1.20	-0.001	86	97	200	345	40
41	521	21362310	0.18	0.16	73	74	13.0	12.6	90	95	3.85	3.71	82	101	1315	67	1.20	0.52	0.020	54	86	198	311	41
42	573	21384181	0.20	0.18	100	83	15.9	15.4	100	116	4.51	4.43	100	121	1405	91	2.23	1.32	0.055	60	69	304	454	42
43	55N	21579157	0.19	0.19	100	87	14.2	14.1	100	107	4.43	4.37	100	119	1225	74	1.87	0.95	-0.010	110	131	219	394	43

2026 BCIA Culpeper Senior Angus Ultrasound																								
Test ID	Tattoo	Reg Number	Actual Rib Fat	365-d Adj. Rib Fat	Herd Ratio Rib Fat	Test Ratio Rib Fat	Actual REA	365-d Adj. REA	Herd Ratio REA	Test Ratio REA	Actual % IMF	365-d Adj. % IMF	Herd Ratio % IMF	Test Ratio % IMF	Scan Wt	EPD CW	EPD Marb	EPD RE	EPD Fat	EPD \$M	EPD \$W	EPD \$B	EPD \$C	Test ID
44	49N	21400940	0.26	0.27	100	124	11.4	11.5	100	87	4.84	4.87	100	133	1170	91	0.85	1.36	-0.066	75	93	233	377	44
45	2N73	21362013	0.14	0.15	100	69	9.5	9.7	100	73	4.30	4.24	100	116	882	111	1.07	1.22	0.050	96	119	247	416	45
46	35N	21353600	0.24	0.22	129	101	15.8	15.2	109	115	3.54	3.43	97	93	1345	51	1.03	0.98	-0.030	81	107	155	282	46
47	34N	21353599	0.31	0.28	165	129	14.8	14.1	101	107	4.57	4.46	126	121	1380	49	0.78	0.57	0.032	81	88	141	264	47
48	44N	21353602	0.17	0.15	88	69	16.1	15.6	111	118	3.56	3.46	98	94	1380	68	1.23	1.07	-0.021	100	102	193	350	48
49	23N	21353603	0.14	0.11	65	51	14.8	14.1	101	107	3.37	3.23	91	88	1390	65	1.16	1.03	0.008	73	119	175	300	49
50	32N	21385674	0.30	0.31	124	143	13.0	13.3	99	101	2.85	2.91	91	79	1160	41	0.55	0.34	0.014	75	85	115	224	50
51	24N	21396133	0.17	0.19	76	87	13.0	13.5	101	102	3.41	3.49	109	95	1090	54	0.94	0.68	0.012	40	74	174	266	51
52	30N	21392121	0.11	0.12	67	55	14.2	14.4	116	109	4.10	4.14	108	113	1150	102	1.30	1.57	-0.027	64	108	271	415	52
53	38N	21352688	0.17	0.15	88	69	13.9	13.5	96	102	4.91	4.80	136	131	1280	72	1.68	0.79	0.011	57	91	219	341	53
54	25N	21350456	0.09	0.08	47	37	11.5	11.2	80	85	1.96	1.86	53	51	1015	67	1.24	0.59	0.003	87	96	176	315	54
55	26N	21415477	0.24	0.25	139	115	9.9	10.1	81	76	4.15	4.17	109	114	1250	80	1.35	0.50	0.059	78	126	196	332	55
56	2510N	21415476	0.16	0.16	89	74	12.7	12.8	103	97	3.18	3.20	83	87	1140	65	1.28	0.73	0.037	90	129	168	308	56
57	2514	21591582	0.17	0.22	100	101	11.9	13.0	100	98	3.70	3.84	100	105	896	54	1.48	0.63	0.049	72	75	198	329	57
58	N514	21420863	0.19	0.17	85	78	13.4	13.0	93	98	4.02	3.94	112	107	1115	81	1.34	1.23	-0.036	78	102	224	369	58
59	N517	21420866	0.26	0.24	120	110	13.9	13.5	96	102	3.51	3.44	97	94	1325	91	1.06	1.01	0.020	100	133	199	358	59
60	N516	21420859	0.27	0.26	130	120	13.9	13.6	97	103	5.02	4.95	140	135	1100	58	1.69	0.92	0.011	100	115	199	358	60
61	N511	21420845	0.20	0.19	95	87	14.8	14.6	104	110	3.33	3.24	92	88	1170	90	1.13	1.10	0.045	60	119	206	327	61
62	N56	21420862	0.17	0.15	75	69	15.9	15.3	109	116	2.67	2.57	73	70	1240	76	1.09	1.02	0.014	84	111	181	319	62
63	N51	21420566	0.32	0.30	100	138	15.6	15.2	100	115	3.77	3.64	100	99	1140	71	1.05	0.67	0.109	98	111	175	325	63
64	N53	21420626	0.19	0.18	90	83	14.1	13.8	99	104	3.17	3.05	86	83	1080	58	1.08	0.91	-0.013	115	84	188	359	64
65	N54	21562434	0.17	0.17	100	78	12.5	12.6	100	95	3.35	3.30	100	90	1055	64	1.42	0.80	-0.001	113	87	200	372	65
66	4385	21470764	0.15	0.14	100	64	13.7	13.5	100	102	1.56	1.52	100	41	1125	74	1.10	0.59	0.088	96	138	163	307	66
67	5193	21569776	0.26	0.24	120	110	12.9	12.5	104	94	3.42	3.35	101	91	1205	65	0.54	0.71	0.053	97	88	162	307	67
68	5161	21569781	0.21	0.22	110	101	11.0	11.2	93	85	3.59	3.58	108	98	1055	54	0.68	0.71	0.025	99	61	161	308	68
69	5221	21569780	0.19	0.20	100	92	12.6	12.8	107	97	3.58	3.57	108	97	1010	75	0.88	0.87	0.030	101	85	187	344	69
70	5213	21569775	0.16	0.14	70	64	11.9	11.5	96	87	2.82	2.73	82	74	1090	59	0.68	0.54	0.001	36	77	156	238	70
71	511S	21575990	0.29	0.29	104	133	14.2	14.1	105	107	3.99	3.88	106	106	1110	68	0.62	1.24	0.021	70	95	180	303	71
72	526S	21597689	0.20	0.19	95	87	12.0	11.8	98	89	3.46	3.39	112	92	1030	60	0.79	0.73	0.001	74	102	154	274	72
73	515S	21597688	0.22	0.21	105	97	12.3	12.0	100	91	2.69	2.60	86	71	1015	53	0.46	0.61	0.043	79	73	128	245	73
74	5650	21583710	0.23	0.23	96	106	12.1	12.1	98	91	3.50	3.50	111	95	1180	63	0.72	0.68	-0.036	98	122	149	291	74
75	540S	21521162	0.18	0.17	81	78	13.1	12.9	103	97	2.52	2.48	87	68	1115	79	0.55	0.96	-0.019	94	92	179	326	75
76	522S	21583709	0.27	0.25	104	115	12.8	12.4	101	94	2.90	2.82	89	77	1090	65	0.42	0.61	0.008	66	100	135	241	76
77	534S	21584354	0.19	0.18	90	83	12.5	12.2	102	92	3.12	3.07	102	84	1055	45	0.79	0.95	-0.002	109	85	142	293	77
78	539S	21572799	0.20	0.19	90	87	12.2	12.0	96	91	2.75	2.71	95	74	1045	86	0.90	0.80	-0.004	68	91	205	334	78
79	544S	21575992	0.22	0.21	105	97	12.3	12.1	101	91	3.07	3.03	100	83	1115	59	0.87	0.62	0.043	75	81	171	297	79
80	555S	21521096	0.28	0.28	133	129	12.4	12.5	100	94	3.39	3.37	118	92	1110	49	0.94	0.58	0.046	83	60	148	275	80
81	517S	21597618	0.26	0.26	93	120	12.7	12.7	95	96	3.51	3.42	94	93	1075	50	1.03	0.56	0.037	112	93	154	312	81
82	516	21471211	0.22	0.21	105	97	11.6	11.4	93	86	3.68	3.64	83	99	1010	55	1.46	0.72	-0.004	96	94	189	341	82
83	512	21471392	0.21	0.20	100	92	13.4	13.2	100	100	3.64	3.59	100	98	1145	60	1.40	0.86	0.008	79	94	202	341	83
84	507	21462422	0.20	0.18	90	83	13.6	13.2	107	100	5.22	5.16	117	141	1340	98	1.30	1.01	-0.002	88	120	251	414	84
85	627N	21605483	0.20	0.17	100	78	11.7	11.0	100	83	3.11	2.96	100	81	1205	60	0.86	0.09	0.037	31	51	175	258	85
86	28N	21461432	0.21	0.20	95	92	13.8	13.6	101	103	3.28	3.16	81	86	1215	63	0.88	0.77	0.011	99	94	176	327	86

2026 BCIA Culpeper Senior

Test ID	Tattoo	Reg Number	Actual Rib Fat	365-d Adj. Rib Fat	Herd Ratio Rib Fat	Test Ratio Rib Fat	Actual REA	365-d Adj. REA	Herd Ratio REA	Test Ratio REA	Actual % IMF	365-d Adj. % IMF	Herd Ratio % IMF	Test Ratio % IMF	Scan Wt	EPD CW	EPD Marb	EPD RE	EPD Fat	EPD \$M	EPD \$W	EPD \$B	EPD \$C	Test ID
87	15N	21461431	0.26	0.21	100	97	14.5	13.3	99	101	4.77	4.60	119	125	1570	87	0.77	1.00	-0.017	87	122	201	348	87
88	5N8	21351466	0.15	0.15	58	69	15.8	15.8	101	119	4.89	4.79	93	130	1275	81	1.50	1.42	-0.011	65	89	246	384	88
89	5N7	21351465	0.38	0.36	138	166	16.0	15.4	99	116	5.63	5.52	107	150	1415	62	1.07	0.88	0.056	70	86	180	303	89
90	5771	21557760	0.19	0.19	68	87	14.6	14.6	107	110	3.47	3.46	96	94	1155	64	0.85	1.18	-0.005	56	94	176	284	90
91	524	21564506	0.27	0.26	113	120	12.9	12.7	100	96	4.31	4.23	116	115	1265	81	1.15	0.95	0.007	74	114	207	342	91
92	592	21537574	0.34	0.37	132	170	11.9	12.6	93	95	3.64	3.75	104	102	1130	77	0.40	0.52	0.090	67	89	162	277	92
93	559	21580153	0.20	0.20	100	92	12.9	12.9	100	97	3.11	3.11	100	85	1125	65	0.75	0.25	0.046	105	100	144	292	93
94	543	21584710	0.19	0.19	100	87	14.9	15.0	100	113	3.23	3.24	100	88	1240	61	1.10	0.89	0.012	102	82	197	358	94
95	591	21537572	0.20	0.19	83	87	12.9	12.7	100	96	3.07	3.04	84	83	1150	62	0.68	0.73	0.035	66	96	147	257	95
96	575	21596083	0.19	0.19	100	87	11.9	11.9	100	90	4.05	4.02	100	110	1180	81	1.20	0.58	0.007	89	87	186	330	96
97	02N29	21400564	0.28	0.27	123	124	13.7	13.4	96	101	3.71	3.65	115	99	1185	48	1.06	1.07	0.000	46	52	178	277	97
98	02N31	21400565	0.21	0.20	91	92	15.4	15.2	109	115	3.12	3.08	97	84	1195	67	0.96	0.79	0.015	59	74	182	295	98
99	02N32	21400566	0.19	0.18	82	83	13.5	13.3	95	101	2.85	2.81	88	77	1095	65	1.14	0.85	-0.015	45	76	188	289	99
100	2512	21439449	0.38	0.36	129	166	13.2	12.8	104	97	7.56	7.50	119	204	1230	69	2.43	0.72	0.028	62	91	256	394	100
101	2502	21430080	0.31	0.29	104	133	12.4	11.9	97	90	5.68	5.59	89	152	1025	54	2.13	0.87	0.018	61	63	240	372	101
102	2508	21439447	0.23	0.22	79	101	14.2	13.8	112	104	6.74	6.66	106	181	1105	82	2.43	1.38	-0.038	55	100	302	447	102
103	2507	21439445	0.35	0.34	121	156	11.4	11.1	90	84	5.88	5.80	92	158	1055	57	2.52	0.52	0.008	74	82	256	406	103
104	2523	21430084	0.27	0.27	104	124	10.4	10.5	81	79	4.35	4.36	97	119	1045	55	1.43	0.34	0.033	37	80	170	257	104
105	2528	21430085	0.29	0.31	119	143	12.8	13.2	102	100	3.88	3.97	88	108	978	54	1.98	0.76	0.021	57	68	230	355	105
106	2513	21489979	0.21	0.20	77	92	13.2	12.9	99	97	4.90	4.84	108	132	1090	53	1.79	0.96	-0.052	35	53	220	320	106
107	2521	21430091	0.28	0.29	112	133	14.4	14.5	112	110	4.65	4.66	104	127	1095	69	2.14	0.71	0.054	70	75	250	394	107
108	2524	21430090	0.23	0.23	88	106	14.0	14.1	108	107	4.67	4.69	104	128	988	57	1.96	0.83	0.059	53	61	226	346	108
109	2504	21430082	0.21	0.19	68	87	12.2	11.8	96	89	6.04	5.95	94	162	1230	67	1.76	0.58	-0.003	42	76	228	338	109
110	905	21599422	0.20	0.18	72	83	14.4	13.9	105	105	3.36	3.25	93	89	1090	55	1.10	1.12	-0.011	66	64	180	299	110
112	805	21604005	0.24	0.21	84	97	12.2	11.5	87	87	3.34	3.20	91	87	1125	54	0.53	0.27	0.016	118	111	124	279	112
113	815	21599419	0.33	0.32	128	147	15.6	15.3	116	116	4.23	4.09	117	111	1135	68	1.11	1.16	0.040	126	102	198	383	113
114	855	21599421	0.32	0.30	120	138	12.8	12.2	92	92	3.63	3.49	99	95	1115	84	0.93	0.63	0.097	94	118	200	353	114
115	6608	21613275	0.17	0.16	62	74	13.7	13.5	99	102	3.00	2.95	79	80	1065	84	1.48	1.10	-0.001	69	100	230	367	115
116	6626	21613288	0.24	0.24	92	110	13.2	13.3	98	101	3.10	3.10	83	84	1050	62	0.81	0.75	-0.005	75	70	174	301	116
117	6617	21613283	0.24	0.23	88	106	15.2	15.0	110	113	4.43	4.39	118	120	1125	45	1.39	0.93	-0.076	123	85	178	354	117
118	6620	21613285	0.42	0.41	158	188	12.9	12.7	93	96	4.52	4.49	120	122	1140	78	1.23	0.97	0.040	78	78	217	359	118
119	5062	21614028	0.20	0.19	136	87	14.2	14.1	99	107	4.49	4.45	118	121	1245	68	1.31	0.95	-0.043	71	104	197	327	119
120	5002	21613929	0.10	0.08	57	37	14.7	14.2	100	107	3.25	3.06	81	83	1175	64	1.01	1.03	0.001	88	96	177	318	120
121	J176	21613987	0.15	0.14	100	64	12.6	12.3	100	93	2.50	2.45	100	67	1075	75	1.66	0.69	0.046	76	85	235	381	121
122	J173	21613985	0.21	0.19	100	87	14.2	13.8	100	104	2.45	2.38	100	65	1170	57	1.16	0.63	0.033	84	106	175	311	122

Test Group Avg.	0.23	0.22	100	13.4	13.2	100	3.73	3.67	100	1168
-----------------	------	------	-----	------	------	-----	------	------	-----	------