

2026 BCIA Culpeper Senior
Simmental and Simmental Hybrid Ultrasound

TEST ID	REG NO	TATTOO	SCAN WT ADJ	IMF ACT	IMF ADJ	IMF HERD RATIO	IMF TEST RATIO	BF ACT	BF ADJ	BF HERD RATIO	BF TEST RATIO	REA ACT	REA ADJ	REA HERD RATIO	REA TEST RATIO	CARCASS EPDS				
																C WT	YG EPD	MARB	B FAT	REA EPD
PB Simmental																				
401	4694386	NL31	1095	2.12	2.10	63	100	0.12	0.12	63	100	14.1	14.0	99	100	51	-0.2	0.46	-0.046	0.79
Test Group Avg.				2.12	2.10		100	0.12	0.12		100	14.1	14.0		100					
Simmental Hybrid (%)																				
402	4629700	N19	1116	2.60	2.52	129	79	0.12	0.11	100	57	15.0	14.4	109	103	33	-0.27	0.19	-0.044	0.82
403	4629708	N34	874	1.93	1.87	95	59	0.10	0.09	82	46	12.3	11.9	90	85	46.7	-0.08	0.10	-0.029	0.52
404	4629712	N25	1063	1.58	1.51	77	47	0.11	0.10	91	52	14.5	13.9	106	100	32.4	-0.28	0.20	-0.050	0.79
405	4629695	N35	1051	1.95	1.90	97	59	0.18	0.17	155	88	14.0	13.6	103	97	26.1	-0.27	0.00	-0.031	0.83
406	4629694	N28	934	2.09	2.02	103	63	0.10	0.09	82	46	12.5	12.0	91	86	61.1	-0.27	0.58	-0.061	1.02
407	4564515	N514	1090	3.32	3.23	100	101	0.16	0.15	100	77	14.2	13.5	100	96	53.1	-0.10	0.91	-0.036	0.60
408	4564521	N536	1222	3.61	3.53	111	111	0.24	0.23	110	119	15.1	14.5	99	103	32.3	-0.17	0.44	-0.029	0.61
409	4564514	N506	1316	3.38	3.28	103	103	0.21	0.20	95	103	15.3	14.5	100	104	75.1	-0.13	0.68	-0.030	1.02
410	4564525	N550	1309	2.79	2.72	86	85	0.20	0.19	90	98	15.2	14.7	101	105	52	-0.08	0.72	0.009	0.86
411	4570479	1026N	1295	3.43	3.37	104	105	0.17	0.16	94	83	13.4	13.0	94	92	68.4	0.12	0.81	0.017	0.53
412	4570480	31N	1166	3.20	3.13	96	98	0.18	0.17	100	88	15.0	14.5	106	103	65.8	-0.03	0.41	0.004	0.86
413	4649237	2508N	1054	2.87	2.82	86	88	0.16	0.15	79	77	13.3	12.9	90	92	82.2	0.04	0.88	0.002	0.83
414	4649234	2505N	1100	3.31	3.24	99	101	0.23	0.22	116	114	15.4	14.9	103	106	80	0.13	0.82	0.022	0.69
415	4649239	2507N	1186	2.26	2.20	67	69	0.16	0.15	79	77	14.3	13.9	96	99	63.2	0.07	0.87	-0.004	0.46
416	4649236	2506N	1456	4.88	4.81	147	151	0.26	0.25	132	129	16.5	16.0	111	114	90.1	0.10	0.81	0.016	0.85
417	4680318	N319	1223	2.78	2.74	82	86	0.21	0.21	88	108	13.7	13.4	89	96	42.7	-0.07	0.35	-0.012	0.57
418	4680323	N324	1286	3.95	3.92	118	123	0.28	0.28	117	144	16.8	16.6	111	119	58.6	0.09	0.65	0.025	0.55
419	4680321	N322	1157	2.43	2.40	100	75	0.22	0.22	100	114	14.5	14.3	100	102	59.7	-0.13	0.12	-0.013	0.96
420	4704405	N531	1057	4.05	4.02	100	126	0.23	0.23	100	119	11.7	11.4	100	82	55.1	0.31	0.69	0.073	0.19
421	4692438	513N	1111	2.33	2.27	65	71	0.24	0.23	100	119	15.0	14.5	106	104	38.6	0.07	0.57	0.014	0.27
422	4692439	538N	1113	4.70	4.67	135	146	0.24	0.24	104	124	13.2	13.0	94	93	49.9	0.01	0.72	0.005	0.55
423	4685202	N11	1225	2.50	2.50	66	78	0.16	0.16	70	83	13.0	13.0	93	93	30.8	0.00	0.60	-0.019	0.15
424	4685206	N03	1370	4.19	4.16	110	130	0.27	0.27	117	139	15.3	15.0	108	107	40.7	-0.13	0.68	-0.041	0.49
425	4685207	N07	1191	4.47	4.47	118	140	0.33	0.33	143	170	13.3	13.3	95	95	44.5	-0.06	0.72	-0.034	0.39
426	4685221	N02	1226	2.89	2.85	75	89	0.20	0.19	83	98	13.7	13.4	96	96	29.6	0.10	0.78	-0.003	-0.06
427	4685203	N10	1182	4.97	4.97	131	156	0.21	0.21	91	108	14.9	14.9	107	107	64.4	0.08	0.88	0.029	0.69
428	4694387	NK12	1259	4.57	4.56	137	143	0.27	0.27	142	139	14.3	14.2	101	101	55.7	0.00	0.43	0.026	0.79
429	4687341	N502	1012	2.89	2.96	100	93	0.19	0.20	100	103	13.9	14.4	100	103	35.7	0.04	0.61	0.009	0.28
430	4687340	N510	1093	3.95	4.00	100	125	0.14	0.15	100	77	16.1	16.5	100	118	72.5	-0.19	0.63	-0.022	1.24
Test Group Avg.				3.24	3.19		100	0.20	0.19		100	14.3	14.0		100					